

Studia Universitatis "Vasile Goldis"
Seria Stiintele Vietii
(Life Sciences Series)
Volume 25, issue 3, Jul.- Sep. 2015

CONTENTS

- 145 **Correlated evaluations of in vitro release profiles and structural parameters for topical semisolid dosage forms containing metronidazole**
Ciolan D.F., Mînea A., Lupuleasa D., Stănescu A.A., Nicoară A.C., Rădulescu F.Ş., Miron D.S.
- 151 **Comparative study of finger lengths and digit ratio in men of Ancona, Italy and Oradea, Romania**
Tomulescu I. M., Nicoraş G.L.
- 157 **Collecting sites of the Hungarian Natural History Museum in sălaj, Romania, in 2014 and 2015**
Gubányi A.
- 169 **Helminthological investigations of small mammals in the Sălaj county, Romania**
Gubányi A., Matskási I., Mészáros F.
- 175 **Earthworms from Sălaj county, Romania (oligochaeta, lumbricidae)**
Szederjesi T.
- 179 **A malaco-faunistical study of Salaj county/szilágység, Romania with taxonomical notes**
Erőss Z.P..
- 193 **Contributions to the knowledge of the microcrustacean (crustacea: cladocera and copepoda) of Salaj county, Romania**
Forró L., Kovács K.
- 199 **Contribution to the knowledge of amphipods (crustacea, amphipoda) from Sălaj county, Romania**
Angyal D.
- 203 **New data on the pseudoscorpion fauna of Sălaj county, Romania (arachnida: pseudoscorpiones)**
Novák J.
- 207 **Protective effects of *Galium verum* L. extract on the hypothalamic – pituitary – adrenal axis under anakinetic stress conditions, in rats. Histological aspects**
Roman I., Toma V.Al., Farcaş A.D.
- 215 **Instructions for authors**

COVER IMAGES

Upper-left image: Normal appearance of neurosecretory activity of PVN in group C (200x). Decrease of PVN neurosecretory activity, associated with spread of secretion granules along the dendritic axonal extensions, in group S: (200x) (vol. 25, iss. 3 fig. 1, p.209)

Bottom-left image: Histopathological appearance of adenohypophysis. **D** - group ES - significant increase in the basophilic and acidophilic character of the adenohypophysis, (x 400) (vol. 25, iss. 3 fig. 2 p.210)

Right image: Normal appearance of neurosecretory activity of PVN in group C (x 200). Intense neurosecretory activity of PVN in group ES, (200 X) (vol. 25, iss. 3 fig. 1, p.209)



Studia Universitatis "Vasile Goldiș"

Seria Științele Vieții

(Life Sciences Series)

Vol. 25, issue 3, Jul.- Sep. 2015

<http://www.studiauniversitatis.ro>